


Carports 12x20ft

Assembly Instructions



KINDLY NOTICE - Please read these instructions carefully before starting assembly

HASSEL-FREE WARRANTY

We proudly provide 1-YEAR warranty,if there is any questions with the products,please feel free to contact with us.

✉ Email: support@patio-outdoor.com




The assembly will be easier with 2 people while 1 person could also do the job.




Around 20-30MIN ASSEMBLY

12 × 20ft




1#Incline Roof Pole		8pcs
2#Transverse Horizontal Pole		9pcs
3#Upright Support Pole		8pcs
A#3 Way Connector		6pcs
B#4 Way Connector		6pcs
Steel Stake		16pcs
Thickened Based Plate		8pcs
Nut & Bolt Assortment Sets		8pcs
Windproof Rope		4pcs
Canopy Cover		1pc
Sidewall with Two Roll-up Windows		2pc
Sidewall with Roll-up Door		2pc
Elastic Ball Bungee		60pcs
Strong Grip		4pcs
Gloves		1pcs

1




Assemble the roof frame according to the illustration
 PS: 1# Incline Roof Pole, 2# Transverse Horizontal Pole

2




Put on the carport canopy cover and tie it with elastic ball bungees

3



Connect the upright pole, install the thickened based plate and secure it
 PS: 3# Upright Support Pole

4



Place the sidewalls on the frame and reinforce carport with windproof ropes and steel stakes



WARRANTY

Outdoor carport

1-year warranty Program

For a period of one (1) years after date of purchase, the Manufacturer will either repair or replace defective components in accordance with this Limited Warranty. This warranty is between the Manufacturer and the original purchaser and is valid only when accompanied by the original purchaser's sales receipt showing original date of purchase

The manufacturer or its authorized dealer can accept or reject warranty claims based on its findings. This warranty applies in normal residential use only and is not intended for commercial use. The Manufacturer can make substitutions as required of materials, components, and sub-components of comparable value and utility. This warranty is limited to product repair or replacement (to be determined solely by the Manufacturer). Warranty return is limited to only the single affected component.

This limited warranty covers only manufacturing defects and does not cover normal wear and tear, damage due to acts of nature (such as, but not limited to freezing or high winds), abuse or misuse, including chemical damage from suntan oil or other chemicals, exposure to extreme heat or cold, abrasion or excessive weight. This product is intended to be used in standard installations only. This warranty is void if the product is not used for its intended purpose. The Manufacturer disclaims liability for any aspect of installation and any inconvenience caused by a defective part of a component

Certain items are not covered by this warranty. These include, but are not limited to the following:

1. Components subjected to abuse, including abuse intended to simulate failure
2. Damages caused by retailer, shipper or installation error (such as scratches, dents, tears, chips, etc.)
3. Any part that only shows normal wear and tear on the surface, including debris, scratches, or material stretching and stitching.
4. Tears, punctures, scratches or any damage caused by improper installation or use.
5. Damage to frames/welds resulting from improper assembly or exposure to water and/or sub-freezing temperatures is not covered.
6. The fading caused by other external forces on the carport cloth surface is not included.

**** If you need after-sales service, please provide the original purchase record and a brief description of the problem.
Please also provide your email address or mobile number.***